


ACRYLIC WATERFALL



8 Different Color Options With Remote



Application

Swimming pool, garden, pond, outdoor, spa, hotel

Warranty

Acrylic Waterfall 1 year

Technical Specification

Model	Width	Depth of Lip	Recommended flow at 120cm height	Entry	Connection Size	Carton Qty	Carton Dimension	Gross Weight/Ctn
	mm	mm	l/h		Inch			kg
WF300-30	300	30	4,000	Bottom or Back	1.0 or 1.5	4	44.5 x 27.6 x 24.5	8.4
WF600-30	600	30	6,000				44.5 x 27.5 x 64.5	11.3
WF900-30	900	30	9,000				44.5 x 27.5 x 94.5	14.5
WF1200-30	1200	30	12,000				44.5 x 27.5 x 124.5	17.4
WF1500-30	1500	30	15,000				44.5 x 27.5 x 154.5	20.6
WF300-125	300	125	4,000				51.5 x 22.3 x 34.5	8.4
WF600-125	600	125	6,000				51.5 x 22.3 x 64.5	11.3
WF900-125	900	125	9,000				51.5 x 22.3 x 94.5	14.5
WF1200-125	1200	125	12,000				51.5 x 22.3 x 124.5	17.4
WF1500-125	1500	125	15,000				51.5 x 22.3 x 154.5	20.6



Printed in Australia
By BPA

Distributed internationally by Minder Water Industries Sdn. Bhd. All rights reserved 2018.
Distributed in Australia by Minder Water Industries Pty. Ltd.
Distributed in China by Minder Water Industries (Canton) Co. Ltd.
Distributed in South-East Asia by Minder Water Industries Sdn. Bhd.